BEFORE THE NATIONAL GREEN TRIBUNAL, PRINCIPAL BENCH, NEW DELHI

Appeal No.1 of 2015 And M.A. No. 12 of 2015, M.A. No. 13 of 2015 & M.A. No. 74 of 2015

Taurus International (Projects) Pvt. Ltd. Vs. Delhi Pollution Control Committee

CORAM: HON'BLE MR. JUSTICE SWATANTER KUMAR, CHAIRPERSON

HON'BLE MR. JUSTICE M.S. NAMBIAR, JUDICIAL MEMBER

HON'BLE MR. DR. D.K. AGRAWAL, EXPERT MEMBER HON'BLE MR. RANJAN CHATTERJEE, EXPERT MEMBER

Present: Appellant:

Mr. Rajeshwar Dagar and Mr. Swastik Singh, Advs.

Mr. Sanjeev Ralli, Mr. Prem Grover, Mr. Sahil Sangar, Advs. with Mr. Dinesh Jindal, LO, DPCC

Ms. Sayema Mukin, Adv. Mrs. Rachna Golaha, Adv.

Date and	Orders of the Tribunal
Remarks Item No.	
08	Status report on behalf of the DPCC has been filed.
March 03, 2015	It is stated that Hotels mentioned at serial nos. 1 to 11 of
11/2	Annexure R-1 which are as follows were issued show
IA	cause Notice on 29 th January, 2015:
11/2	1. Hotel Lohia – A-53, Mahipal Pur, N.H. 8, Near I.G.I.
A II Y	Airport.
	2. Hotel Venus – A-282, Mahipal Pur, N.H. 8, Near
3	I.G.I. Airport.
-0	3. Hotel Swapnnil International – A-43, Mahipal Pur,
	N.H. 8, Near I.G.I. Airport.
1.2	4. Hotel RTS – A-69, Mahipal Pur, N.H. 8, Near I.G.I.
	Airport.
	5. Hotel Alpine Tree – A-65, Mahipal Pur, N.H. 8, Near
	I.G.I. Airport.
	6. Hotel Rarin – A-383, Mahipal Pur, N.H. 8, Near I.G.I.
	Airport.
	7. Hotel Leseasons – A-53, Mahipal Pur, N.H. 8, Near
	I.G.I. Airport.
	8. Hotel Moti Mahal Delux - A-23, Mahipal Pur, N.H. 8,
	Near I.G.I. Airport.
	9. Hotel Hanuwant Place – A-31/2, Mahipal Pur, N.H.
	8, Near I.G.I. Airport.

- 10. Hotel Chankya INN L-20/324, Mahipal Pur, N.H.8, Near I.G.I. Airport.
- 11. Hotel Waves A-272, Mahipal Pur, N.H. 8, Near I.G.I. Airport.

However, none of them have responded and filed any reply. This resulted in issuance of closure order by the Board on 24th February, 2015. Copy of this order was also sent to the BSES Rajdhani Power Ltd., DJB and SDM, Vasant Vihar for taking appropriate action by disconnecting water and electricity supply and to give effect to the closure order. It is stated that these hotels do not have any ETP/STP and are polluting air and water.

Consequently, we direct the SHO/SDM of the concerned area to ensure that these hotels are closed forthwith and their water and electricity supply is disconnected in terms of the order passed by the DPCC. The Members of the DPCC shall conduct a survey and submit a report to the Tribunal, whether these hotels are actually closed and/or are functioning despite closure order. Let the report be submitted before Tribunal on the next date of hearing.

The hotels mentioned at serial nos. 12 to 21 are the hotels who have responded to the show cause notices issued by the DPCC and they have asked for time to install ETP/STP and to carry out other directions issued by the DPCC. They have been granted 45 days time from 21st January, 2015.

The hotels shown at serial no. 22, 23 and 24 have been delivered the show cause notices on 25-2-2015. The action taken report against these hotels (S. No. 12 to 24)

should be brought to the notice of the Tribunal on the next date of hearing. The hotels mentioned at serial nos. 25 to 76 are being inspected by the Committee or show cause is awaited and they are to be inspected.

Let the needful be done and report be submitted to the Tribunal. It should be reported what is the source of water and if borewells are being operated without permission of the Central Ground Water Authority, the same should be sealed in all the Hotels.

As far as Appellant is concerned let his trade effluent discharge from the STP be sampled again and proper analysis report be submitted before the next date of hearing.

List this matter for directions on 9th April, 2015.

,CF
(Swatanter Ku <mark>ma</mark> r)
911
JN
(M.S. Nambiar)
,EN
(Dr. D.K. Agrawal)
,EN
(Ranian Chatteriee)