

**BEFORE THE NATIONAL GREEN TRIBUNAL
SOUTHERN ZONE, CHENNAI**

Application No. 214 of 2013 (SZ)

Appellant(s)
M/s. Sri Srinivasa Blue Metal,
Thiruneermalai
Kancheepuram District.

Vs.

Respondent(s)
The Chairman, TNPCB Chennai and
2 others

Application No. 215 of 2013 (SZ)

Appellant(s)
M/s. Sri Ayappa Blue Metal,
Kancheepuram District.

Vs.

Respondent(s)
The Chairman, TNPCB Chennai
and 2 others

Application No.216 of 2013 (SZ)

Appellant(s)
M/s Raasi Blue Metal,
Thiruneermalai
Kancheepuram District.

Vs.

Respondent(s)
The Chairman, TNPCB Chennai and
2 others

Application No. 217 of 2013 (SZ)

Appellant(s)
M/s. Mercury Blue Metal
Thiruneermalai
Kancheepuram District

Vs.

Respondent(s)
The Chairman, TNPCB Chennai and
2 others

Application No. 218 of 2013 (SZ)

Appellant(s)
M/s.Thanushiya Blue Metal
Thiruneermalai
Kancheepuram District.

Vs.

Respondent(s)
The Chairman, TNPCB Chennai and
2 others

Application No. 219 of 2013 (SZ)

Appellant(s)
M/s. J.J.R. Blue Metal
Thiruneermalai
Kancheepuram District.

Vs.

Respondent(s)
The Chairman, TNPCB Chennai and
two others

Application No. 220 of 2013 (SZ)

Appellant(s)
M/s.CND Blue Metal
Thiruneermalai
Kancheepuram District.

Vs.

Respondent(s)
The Chairman, TNPCB Chennai and
2 others

Application No. 221 of 2013 (SZ)

Appellant(s)
M/s. Aarthi Blue Metal
Thiruneermalai
Kancheepuram District.

Vs.

Respondent(s)
The Chairman, TNPCB Chennai and
2 others

Application No. 222 of 2013 (SZ)

Appellant(s)
M/s.TCD Baskara Blue Metal
Thiruneermalai
Kancheepuram District.

Vs.

Respondent(s)
The Chairman, TNPCB Chennai and
2 others

Application No. 223 of 2013 (SZ)

Appellant(s)
M/s Vijaya Blue Metal
Thiruneermalai
Kancheepuram District.

Vs.

Respondent(s)
The Chairman, TNPCB Chennai and
2 others

Application No. 224 of 2013 (SZ)

Appellant(s)
M/s. K.G. Constructions
Thiruneermalai
Kancheepuram District.

Vs.

Respondent(s)
The Chairman, TNPCB Chennai and
2 others

Application No. 225 of 2013 (SZ)

Appellant(s)
M/s. Krishna Blue Metal
Thiruneermalai
Kancheepuram District.

Vs.

Respondent(s)
The Chairman, TNPCB Chennai and
2 others

Application No. 226 of 2013 (SZ)

Appellant(s)
M/s. Sugam Blue Metal
Thiruneermalai
Kancheepuram District.

Vs.

Respondent(s)
The Chairman, TNPCB Chennai and
2 others

Application No. 227 of 2013 (SZ)

Appellant(s)
M/s.Brinda Blue Metal
Thiruneemalai
Kancheepuram District.

Vs.

Respondent(s)
The Chairman, TNPCB Chennai and
2 others

Application No. 228 of 2013 (SZ)

Appellant(s)
M/s.Monisha Blue Metal
Thiruneemalai
Kancheepuram District.

Vs.

Respondent(s)
The Chairman, TNPCB Chennai and
2 others

Application No. 229 of 2013 (SZ)

Appellant(s)
M/s.Manimaran Blue Metal
Thiruneemalai
Kancheepuram District.

Vs.

Respondent(s)
The Chairman, TNPCB Chennai and
2 others

Application No. 242 of 2013 (SZ)

Appellant(s)
M/s. Anbu Blue Metal,
Thiruneemalai
Kancheepuram District..

Vs.

Respondent(s)
The Chairman, TNPCB Chennai an
2 others

Application No. 243 of 2013 (SZ)

Appellant(s)
M/s. R.S. Enterprises,
Thiruneemalai
Kancheepuram District..

Vs.

Respondent(s)
The Chairman, TNPCB Chennai and
2 others

Application No. 244 of 2013 (SZ)

Appellant(s)
M/s. Shree Brindhavan Blue Metal,
Thiruneemalai
Kancheepuram District.

Vs.

The Chairman, TNPCB Chennai and
2 others

Legal Practitioners for Applicant(s)
M/s.D.Ashok Kumar, T.Arumugham
& M.K.Satish Advocate for Applicant.

Legal Practitioners for Respondents
Smt. H. Yasmeen Ali, Advocate. for
R-1 & R-2
Shri Gnanasekaran, Advocate for R-3

Note of the Registry	Orders of the Tribunal
Order No. 4	<p>Date: 04th October 2013</p> <p>The counsel for the applicant and also for the respondents are present. Pursuant to the orders of the Tribunal, out of 19 crushing units, the applicants covered in application Nos. 214, 215, 216, 217, 219, 220, 221, 222, 223, 225, 226, 227, 228 and 242 of 2013 were directed to put in place adequate measures for air pollution control and the official concerned was directed to make an inspection and file the report today. Accordingly, a report is filed by the respondent Board from which it will be quite clear that all adequate measures which are necessary for air pollution control have not been provided. Under the circumstances, the request made by the counsel for the applicants in the above applications for resuming the crushing operations cannot be permitted at this stage. The counsel for the applicants undertakes that all the</p>

measures, adequate and necessary, will be put in place within a period of 2 weeks.. The applicants are directed to take all necessary measures which are found to be deficient during the last inspection within a period of 2 weeks and inform to the District Environmental Engineer, Tamil Nadu Pollution Control Board and the District Environmental Engineer is directed to make an inspection and file necessary report in the next hearing.

The matter is posted to **24.10.2013**.

Prof. Dr. R. Nagendran
(Expert Member)

Justice M. Chockalingam
(Judicial Member)

